

A decorative graphic on the right side of the page. It features three blue circles of varying sizes, each composed of concentric circles in different shades of blue. Two thin blue lines intersect at the top right, forming a triangular shape that frames the circles. The circles are positioned at the top right, middle right, and bottom right of the page.

Simple PDU PIML REST API

v 1.4

| | | |
|--------|----------------------------------|----|
| 1. | Authentication..... | 5 |
| 1.1. | Login | 5 |
| 1.2. | Logout..... | 6 |
| 1.3. | Get User Privilege | 6 |
| 2. | Summary Overview | 7 |
| 2.1. | System Overview | 7 |
| 2.2. | Environment Overview | 8 |
| 2.3. | Alarm List..... | 9 |
| 2.4. | Network Connection..... | 10 |
| 3. | Power Management | 11 |
| 3.1. | Inlet Configuration..... | 11 |
| 3.1.1. | Misc | 12 |
| 3.1.2. | Energy | 13 |
| 3.2. | Environment Configuration | 15 |
| 4. | Settings | 16 |
| 4.1. | General Setting | 16 |
| 4.2. | iECView Management | 18 |
| 4.3. | TCP/IP | 19 |
| 4.4. | Accessible IP Setting | 20 |
| 4.5. | Security..... | 22 |
| 4.5.1. | Network Access Protection..... | 22 |
| 4.5.2. | Upload CA..... | 23 |
| 4.5.3. | Download Root CA..... | 23 |
| 4.6. | Network Service | 24 |
| 4.7. | SNMP Setting..... | 25 |
| 4.8. | Email Setting..... | 27 |
| 4.9. | User Setting | 29 |
| 5. | Log..... | 30 |
| 5.1. | System Log..... | 30 |
| 5.2. | Event Log | 31 |
| 5.3. | Inlet History Log..... | 32 |
| 5.4. | Environment Log..... | 33 |
| 5.5. | Clear Log..... | 35 |
| 5.6. | Save Log..... | 35 |
| 6. | Advance | 37 |
| 6.1. | Syslog Setting..... | 37 |
| 6.2. | Maintenance..... | 38 |
| 6.2.1. | Reset to Default | 38 |
| 6.2.2. | SNMP Card Firmware Upgrade | 39 |
| 6.2.3. | Reboot | 40 |
| 6.2.4. | EMD Firmware Upgrade | 41 |
| 6.2.5. | Inlet Firmware Upgrade | 42 |

| | | |
|--------|-------------------------------------|----|
| 6.3. | Import / Export | 44 |
| 6.3.1. | Import Configuration File..... | 44 |
| 6.3.2. | Export Configuration File | 45 |
| 6.4. | String Setting | 45 |
| 6.5. | Event String Setting | 47 |
| 6.6. | Upload / Download | 50 |
| 6.6.1. | Upload Language File..... | 50 |
| 6.6.2. | Download Language File..... | 51 |
| 6.7. | Links Setting..... | 52 |
| 7. | External Links..... | 53 |
| 8. | Manufacture Setting..... | 53 |
| 8.1. | Setting..... | 53 |
| 8.2. | Upload Logo..... | 55 |
| 8.3. | Restore Logo | 56 |
| 8.4. | LCM_TEST | 56 |
| | Appendix 1. Resource Mapping..... | 57 |
| | Appendix 2. Page String List | 57 |
| | Appendix 3. Event String List | 57 |

| Version | Author | Date | Description |
|---------|-----------|------------|--|
| 1.0 | Vick Wang | 2020/12/18 | First edition. |
| 1.1 | Vick Wang | 2021/1/13 | Add Manufacture Setting, EMD Firmware Upgrade, Inlet Firmware Upgrade |
| 1.2 | Vick Wang | 2021/1/19 | Add inlet type into system overview and inlet configuration |
| 1.3 | Grace Wu | 2023/1/18 | <ol style="list-style-type: none"> 1. Add CB1/CB2 power factor value, critical value and warning value 2. Add RCM flag to check RCM is valid, RCM type to configuration and RCM x30 to check x30 is trigger 3. Add Inlet communication state to check inlet is valid 4. Add time enable and rotate 7seg 5. Add LDAP and TACACS+ 6. Add email test 7. Log history delete energy, voltage, power factor, frequency and current cb1/cb2 8. Log history add power, max power, current, max current |
| 1.4 | Grace Wu | 2023/5/9 | <ol style="list-style-type: none"> 1. Add surge protection valid flag and status. 2. Add MFG serial number. |

1. Authentication

1.1. Login

- Resource URL:
https://<spdu_ip>/api/login
- Request:
POST <spdu_ip>/api/login HTTP /1.1
Host: <host name>
Authorization: Digest
username=vickwang;nc=00000001;cnonce=49153a7a0aed25a8;activation_code=5a04ec902686fb05a6b7a338b6e07760;response=MTM3Yzg1NjdhYmlzYmRjZDQ5MzhiZmExZGE2MDZINGE=
Accept: text/html
- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

{"auth":1} /* 1:GUEST, 2:read-write user, 3:admin */
or
{"error":1} /* login failed */

| Name | Description |
|-----------------|---|
| response | A base64 string which proves that the user knows a password. response = base64(evp-aes-256-cbc(password, key(activation_code), iv(cnonce))) key: 256 bit, iv: 128 bit EX: assume password is "admin" response = base64(evp-aes-256-cbc(admin, key("5a04ec902686fb05a6b7a338b6e07760"), iv("49153a7a0aed25a8"))) |
| nc | The nc-value is the hexadecimal count of the number of requests that the client has sent with the nonce value in this request. |
| cnonce | The cnonce-value is an opaque quoted string value provided by the client and used by both client and server to avoid chosen plaintext attacks |
| trackid | It is a 256-bit hex string converted from 128-bit integer number (UUID) used to authenticate user. |
| activation_code | It is a 256-bit hex string converted from 128-bit integer random number. It is the key of evp-aes-256-cbc during authentication. |
| uid | It is a 128-bit hex string to identify user. |

1.2. Logout

- Resource URL:
https://<spdu_ip>/api/logout
- Request:
POST <spdu_ip>/api/logout HTTP /1.1
Host: <host name>
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Accept: text/html
- Response:
If user logout is successful, respond as below.
HTTP/1.1 401 Unauthorized
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{"error":0} /* 0:success, 1:error */
```

If request method is not POST, respond as below

```
HTTP/1.1 400 Bad Request  
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800  
Accept: application/json  
Content-type: application/json
```

```
{"error":1}
```

1.3. Get User Privilege

- Resource URL:
https://<spdu_ip>/api/usr_priv
- Request:
GET <spdu_ip>/api/usr_priv HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json
Content-type: application/json

```
{  
  "usr_privilege":integer,          /* 3: admin, 2: supervisor, 1: guest, 0: no privilege */  
  "usr_logged":integer             /* 0: non-logged, 1:logged */  
}
```

2. Summary Overview

- Resource URL:
https://<spdu_ip>/api/sum_ov
- Request:
GET <spdu_ip>/api/sum_ov HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{  
  /* refer sub-sections */  
}
```

2.1. System Overview

Get the measured value of inlet.

- Resource URL:
https://<spdu_ip>/api/sum_ov/sys_ov
- Request:
GET <spdu_ip>/api/sum_ov/sys_ov HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:

HTTP/1.1 200 OK

Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "fw_ver":"string", /* MIB_SYSTEM_AGENT_VERSION */
  "pdu_type":"string", /* MIB_PDU_TYPE_NAME*/
  "inlet_type":integer, /* MIB_PDU_INLET_TYPE_AC1, bit0=0(CT x 1); bit0=1(CT x 2)
                        bit1=0(1 Phase); bit1=1(3 Phase)
                        bit2=0(16A); bit2=1(32A) */
  "inlet_sts":{
    "voltage":[integer, integer, integer], /* MIB_PDU_INLET_VOLTAGE_AC1, integer = real-value x 10 */
    "act_pwr":[integer,integer,integer], /* MIB_PDU_INLET_ACTIVE_POWER_AC1, integer = real-value x 10 */
    "app_pwr":[integer,integer,integer], /* MIB_PDU_INLET_APPARENT_POWER_AC1, integer = real-value x 10 */
    "react_pwr":[integer,integer,integer], /* MIB_PDU_INLET_REACTIVE_POWER_AC1, integer = real-value x 10 */
    "cb1_curr":[integer,integer,integer], /* MIB_PDU_INLET_CB1_CURRENT_AC1, integer = real-value x 10 */
    "cb2_curr":[integer,integer,integer], /* MIB_PDU_INLET_CB2_CURRENT_AC1, integer= real-value x 10 */
    "tot_curr":[integer,integer,integer], /* MIB_PDU_INLET_TOTAL_CURRENT_AC1, integer = real-value x 10 */
    "freq":[integer,integer,integer], /* MIB_PDU_INLET_FREQUENCY_AC1, integer = real-value x 10 */
    "pf":[integer,integer,integer], /* MIB_PDU_INLET_POWER_FACTOR_AC1, integer = real-value x 10 */
    "status":[integer,integer,integer], /* MIB_PDU_INLET_STATUS_AC1, integer: 0 – normal, 1 – warning, 2 – critical */
    "cb1_pf":[integer,integer,integer], /* MIB_PDU_INLET_CB1_PF_AC1, integer = real-value x 10 */
    "cb2_pf":[integer,integer,integer], /* MIB_PDU_INLET_CB2_PF_AC1, integer = real-value x 10 */
  },
  "load_balance":integer, /* MIB_PDU_INLET_LOAD_BALANCE_VALUE_AC1, integer = 0 ~ 100% */
  "lb_status":integer, /* MIB_PDU_INLET_LOAD_BALANCE_STATUS_AC1, integer: 0 – normal, 1 – warning, 2 – critical */
  "res_curr":integer, /* MIB_PDU_INLET_RESIDUAL_CURRENT_AC1 */
  "res_status":integer, /* MIB_PDU_INLET_RESIDUAL_CURRENT_STATUS_AC1, integer: 0 – normal, 1 – warning, 2 – critical */
  "rcm_flag":integer, /* MIB_PDU_INLET_RCM_PRESENT, integer: 0 – RCM invalid, 1 –RCM valid */
  "inlet_comm_state":integer, /* MIB_PDU_INLET_COMM_STAT, integer: 0 – inlet invalid, 1 –inlet valid */
  "rcm_type":integer, /* MIB_PDU_MANU_RCM_TYPE, integer: 0 – TCMB121-1(DC Type), 1 –RCMB121-2(AC Type) */
  "rcm_X30_flag":integer, /* MIB_PDU_MANU_RCM_X30_FLAG, integer: 0 – X30 not trigger, 1 –X30 trigger */
  "spd_valid":integer, /* MIB_PDU_INLET_SPD_PRESENT, integer: 0 – SPD invalid, 1 –SPD valid */
  "spd_status":integer, /* MIB_PDU_INLET_SPD_STATUS_AC1, integer: 0 – normal, 1 – warning, 2 – critical */
}
```

2.2. Environment Overview

Get the measured value of EMDs.

- Resource URL:
https://<spdu_ip>/api/sum_ov/env_ov

- Request:
GET <spdu_ip>/api/sum_ov/env_ov HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{
  "temp_unit":integer,                /* MIB_EMD_HTTP_TEMPERATURE_UNIT, 0:Centigrade; 1:Fahrenheit */
  "emd_addr":[integer,....,integer], /* MIB_SENSOR_EMD_ADDRESS, array size is 8 */
  "fw_ver":["string,....,"string"], /* MIB_SENSOR_EMD_FW_VERSION */
  "loc_name":["string",....,"string"], /* MIB_SENSOR_EMD_LOCATION, location name */
  "emd_name":["string,....,"string"], /* MIB_SENSOR_EMD_NAME */
  "emd_action":[integer,....,integer], /* MIB_SENSOR_EMD_ACTION */
  "alm1_name":["string",....,"string"], /* MIB_SENSOR_EMD_ALARM1_NAME, alarm1 name */
  "alm1_status":[int,....], /*MIB_SENSOR_EMD_ALARM1_STATUS, integer: 0 –normal, 1 – alert */
  "alm2_name":["string",....,"string"], /* MIB_SENSOR_EMD_ALARM2_NAME, alarm1 name */
  "alm2_status":[int,....], /*MIB_SENSOR_EMD_ALARM2_STATUS, integer: 0 –normal, 1 – alert */
  "temp_name":["string,....],        /* MIB_SENSOR_EMD_TEMP_NAME */
  "temp_value":[int,....],          /* MIB_SENSOR_EMD_TEMP_VALUE, integer = real-value x 10 */
  "temp_status":[int,....],         /* MIB_SENSOR_EMD_TEMP_STATUS, integer: 0 – normal, 1 - alert */
  "humi_name":["string,....],       /* MIB_SENSOR_EMD_HUMI_NAME */
  "humi_value":[int,....],          /* MIB_SENSOR_EMD_HUMI_VALUE, integer = real-value x 10 */
  "humi_status":[int,....],         /* MIB_SENSOR_EMD_HUMI_STATUS, integer: 0 – normal, 1 - alert */
}
```

2.3. Alarm List

Get alarm list.

- Resource URL:
https://<spdu_ip>/api/sum_ov/alarm_list
- Request:
GET <spdu_ip>/api/sum_ov/alarm_list?lang=en_US HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:
 HTTP/1.1 200 OK
 Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 Accept: application/json
 Content-type: application/json

```
{
  "event_count":integer,
  "alarm_list":[                                /* array size is event_count */
    {
      "event_id":integer,
      "event_time":"string",
      "event_description":"string"
    },
    .....
  ]
}
```

| | |
|------|-------------------------------------|
| lang | en_US, zh_TW, zh_CN, user_1, user_2 |
|------|-------------------------------------|

2.4. Network Connection

Get client connections.

- Resource URL:
https://<spdu_ip>/api/sum_ov/client_conn
- Request:
 GET <spdu_ip>/api/sum_ov/client_conn HTTP 1.1
 Host: localhost
 Cookie:
 trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
 HTTP/1.1 200 OK
 Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9; Max-Age=1800
 Accept: application/json
 Content-type: application/json

```
{
  "conn_units":integer,                                /* MIB_NETWORK_CONNECTIONS_PRESENT */
  "conn_addr":["string", .....],                      /* MIB_NETWORK_CONNECTION_ADDRESS, array size is 16 */
  "conn_type":[integer, .....],                      /* MIB_NETWORK_CONNECTION_TYPE, integer = */
  "conn_name":["string", .....],                    /* MIB_NETWORK_CONNECTION_USERNAME */
}
```

```
}
```

3. Power Management

- Resource URL:
https://<spdu_ip>/api/pwr_mgmt
- Request:
POST <spdu_ip>/api/pwr_mgmt HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

```
{  
    /* refer sub-sections */  
}
```

- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{  
    "error":0 /* 0: success, 1:error */  
}
```

3.1. Inlet Configuration

Configure all necessary parameters for inlet.

- POST
 - Resource URL:
https://<spdu_ip>/api/pwr_mgmt/inlet_conf
 - Request:
POST <spdu_ip>/api/pwr_mgmt /inlet_conf HTTP/1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

```
{  
    "misc":{ ...},
```

```
    "energy":{...}
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "error":0                                /* 0: success, 1:error */
}
```

3.1.1. Misc

● POST

■ Resource URL:

https://<spdu_ip>/api/pwr_mgmt/inlet_conf/misc

■ Request:

POST <spdu_ip>/api/pwr_mgmt/inlet_conf/misc HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

```
{
  "inlet_type":integer,                    /* MIB_PDU_INLET_TYPE_AC1, bit0=0(CT x 1); bit0=1(CT x 2)
                                           bit1=0(1 Phase); bit1=1(3 Phase)
                                           bit2=0(16A); bit2=1(32A) */
  "ol_crit":integer,                      /* MIB_PDU_INLET_CRIT_OVER_LOAD_SET_AC1, integer = real-value x 10 */
  "ol_warn":integer,                      /* MIB_PDU_INLET_WARN_OVER_LOAD_SET_AC1, integer = real-value x 10 */
  "lb_crit":integer,                      /* MIB_PDU_INLET_CRIT_LOAD_BALANCE_SET_AC1, load balance critical set */
  "lb_warn":integer,                      /* MIB_PDU_INLET_WARN_LOAD_BALANCE_SET_AC1, load balance warning set */
  "cb1_oc_crit":[int,int,int],            /* MIB_PDU_INLET_CB1_CRIT_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "cb1_oc_warn":[int,int,int],            /* MIB_PDU_INLET_CB1_WARN_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "cb2_oc_crit":[int,int,int],            /* MIB_PDU_INLET_CB2_CRIT_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "cb2_oc_warn":[int,int,int],            /* MIB_PDU_INLET_CB2_WARN_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "tot_oc_crit":[int,int,int],            /* MIB_PDU_INLET_TOTAL_CRIT_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "tot_oc_warn":[int,int,int],            /* MIB_PDU_INLET_TOTAL_WARN_OVER_CURRENT_SET_AC1, integer = real-value x 10 */
  "ov_crit":[int,int,int],                /* MIB_PDU_INLET_CRIT_OVER_VOLTAGE_SET_AC1, integer = real-value x 10 */
  "ov_warn":[int,int,int],                /* MIB_PDU_INLET_WARN_OVER_VOLTAGE_SET_AC1, integer = real-value x 10 */
  "res_threshold":integer,                /* MIB_PDU_INLET_RESIDUAL_CURRENT_THRESHOLD_AC1, integer = real-value x 10 */
}
```

```

"rcm_flag":integer, /* MIB_PDU_INLET_RCM_PRESENT, integer: 0 – RCM invalid, 1 –RCM valid */
"cb1_pf_crit":[int,int,int], /* MIB_PDU_INLET_CB1_CRIT_UNDER_PF_SET_AC1, integer = real-value x 10 */
"cb1_pf_warn":[int,int,int], /* MIB_PDU_INLET_CB1_WARN_UNDER_PF_SET_AC1, integer = real-value x 10 */
"cb2_pf_crit":[int,int,int], /* MIB_PDU_INLET_CB2_CRIT_UNDER_PF_SET_AC1, integer = real-value x 10 */
"cb2_pf_warn":[int,int,int], /* MIB_PDU_INLET_CB2_WARN_UNDER_PF_SET_AC1, integer = real-value x 10 */
}

```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

{
  "error":0 /* 0: success, 1:error */
}

```

- GET

- Request:

GET <spdu_ip>/api/ pwr_mgmt /inlet_conf/misc HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

3.1.2. Energy

Configure all necessary parameters for energy.

- POST

- Resource URL:

https://<spdu_ip>/api/pwr_mgmt/inlet_conf/energy

- Request:

POST <spdu_ip>/api/ pwr_mgmt /inlet_conf/energy HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

```
{
  "reset_tot_energy":integer,          /* MIB_PDU_INLET_TOTAL_ENERGY_RESET_AC1, integer: 0 – do nothing, 1 – reset */
  "reset_energy":[int,int,int]        /*MIB_PDU_INLET_ENERGY_RESET_AC1, integer: 0 – do nothing, 1 – reset */
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "error":0                            /* 0: success, 1:error */
}
```

● GET

■ Request:

GET <spdu_ip>/api/pwr_mgmt /inlet_conf/energy HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "power":integer,                    /* MIB_PDU_INLET_TOTAL_POWER_AC1, integer = real-value x 10 */
  "pwr_sts":integer,                 /* MIB_PDU_INLET_TOTAL_POWER_STATUS_AC1, integer: 0 – normal, 1 – warning, 2 – critical */
  "tot_energy":integer,              /* MIB_PDU_INLET_TOTAL_ENERGY_AC1, integer = real-value x 100 */
  "tot_energy_record":"string",      /* MIB_PDU_INLET_TOTAL_ENERGY_RECORD_AC1 */
  "energy":[int,int,int],           /* MIB_PDU_INLET_ENERGY_AC1, integer = real-value x 100 */
  "energy_record":["str","str","str"], /* MIB_PDU_INLET_ENERGY_RECORD_AC1 */
  "load_balance":integer,            /* MIB_PDU_INLET_LOAD_BALANCE_VALUE_AC1 */
  "lb_status":integer                /* MIB_PDU_INLET_LOAD_BALANCE_STATUS_AC1 */
}
```

3.2. Environment Configuration

Configure all necessary parameters for EMDs.

- POST

- Resource URL:

https://<spdu_ip>/api/pwr_mgmt/env_conf

- Request:

POST <spdu_ip>/api/pwr_mgmt /env_conf HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "temp_unit":integer,                /* MIB_EMD_HTTP_TEMPERATURE_UNIT, 0:Centigrade; 1:Fahrenheit */
  "emd_addr":[integer,....,integer],  /* MIB_SENSOR_EMD_ADDRESS, array size is 8 */
  "fw_ver":["string",....,"string"], /* MIB_SENSOR_EMD_FW_VERSION */
  "lt_close"[integer,....,integer],   /* MIB_SENSOR_EMD_LT, integer: 0 – disabled, 1 – normal open, 2 – normal close */
  "loc_name":["string",....,"string"], /* MIB_SENSOR_EMD_LOCATION, location name */
  "emd_name":["string",....,"string"], /* MIB_SENSOR_EMD_NAME */
  "emd_action":[integer,....,integer], /* MIB_SENSOR_EMD_ACTION */
  "alm1_name":["string",....,"string"], /* MIB_SENSOR_EMD_ALARM1_NAME, alarm1 name */
  "alm1_state":[int,....],           /* MIB_SENSOR_EMD_ALARM1_NORMAL_STATE, integer: 0 – disabled, 1 – normal open, 2 – normal close */
  "alm2_name":["string",....,"string"], /* MIB_SENSOR_EMD_ALARM2_NAME, alarm1 name */
  "alm2_state":[int,....],           /* MIB_SENSOR_EMD_ALARM2_NORMAL_STATE, integer: 0 – disabled, 1 – normal open, 2 – normal close */
  "temp_name":["string,....],        /* MIB_SENSOR_EMD_TEMP_NAME */
  "temp_crit_he":[int,....],         /* MIB_SENSOR_EMD_TEMP_CRIT_HIGH_ENABLE, integer: 0 – disabled, 1 – enabled */
  "temp_crit_high":[int,....],       /* MIB_SENSOR_EMD_TEMP_CRIT_HIGH_SET, integer = real-value x 10 */
  "temp_crit_le":[int,....],         /* MIB_SENSOR_EMD_TEMP_CRIT_LOW_ENABLE, integer: 0 – disabled, 1 – enabled */
  "temp_crit_low":[int,....],        /* MIB_SENSOR_EMD_TEMP_CRIT_LOW_SET, integer = real-value x 10 */
  "temp_warn_he":[int,....],         /* MIB_SENSOR_EMD_TEMP_WARN_HIGH_ENABLE, integer: 0 – disabled, 1 – enabled */
  "temp_warn_high":[int,....],       /* MIB_SENSOR_EMD_TEMP_WARN_HIGH_SET, integer = real-value x 10 */
  "temp_warn_le":[int,....],         /* MIB_SENSOR_EMD_TEMP_WARN_LOW_ENABLE, integer: 0 – disabled, 1 – enabled */
  "temp_warn_low":[int,....],        /* MIB_SENSOR_EMD_TEMP_WARN_LOW_SET, integer = real-value x 10 */
  "temp_cal_offs":[int,....],        /* MIB_SENSOR_EMD_TEMP_CALIBRATION, integer = real-value x 10 */
  "humi_name":["string,....],        /* MIB_SENSOR_EMD_HUMI_NAME */
  "humi_crit_he":[int,....],         /* MIB_SENSOR_EMD_HUMI_CRIT_HIGH_ENABLE, integer: 0 – disabled, 1 – enabled */
  "humi_crit_high":[int,....],       /* MIB_SENSOR_EMD_HUMI_CRIT_HIGH_SET, integer = real-value x 10 */
  "humi_crit_le":[int,....],         /* MIB_SENSOR_EMD_HUMI_CRIT_LOW_ENABLE, integer: 0 – disabled, 1 – enabled */
}
```

```

    "humi_crit_low":[int,...],          /* MIB_SENSOR_EMD_HUMI_CRIT_LOW_SET, integer = real-value x 10 */
    "humi_warn_he":[int,...],         /* MIB_SENSOR_EMD_HUMI_WARN_HIGH_ENABLE, integer: 0 – disabled, 1 – enabled */
    "humi_warn_high":[int,...],       /* MIB_SENSOR_EMD_HUMI_WARN_HIGH_SET, integer = real-value x 10 */
    "humi_warn_le":[int,...],         /* MIB_SENSOR_EMD_HUMI_WARN_LOW_ENABLE, integer: 0 – disabled, 1 – enabled */
    "humi_warn_low":[int,...],        /* MIB_SENSOR_EMD_HUMI_WARN_LOW_SET, integer = real-value x 10 */
    "humi_cal_offs":[int,...],        /* MIB_SENSOR_EMD_HUMI_CALIBRATION, integer = real-value x 10 */
  }

```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

{
  "error":0                               /* 0: success, 1:error */
}

```

- GET

- Request:

GET <spdu_ip>/api/pwr_mgmt/env_conf HTTP/1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;nonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4. Settings

4.1. General Setting

Configure all parameters for general setting.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/gen_setting

■ Request:

POST <spdu_ip>/api/setting/gen_setting HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "sys_setting":{
    "sys_name":"string",           /* MIB_SYSTEM_AGENT_NAME */
    "sys_contact":"string",       /* MIB_SYSTEM_AGENT_CONTACT */
    "sys_location":"string",      /* MIB_SYSTEM_AGENT_LOCATION */
    "his_interval":integer,        /* MIB_AGENT_HISTORY_INTERVAL */
    "refresh_time":integer,        /* MIB_SYSTEM_FLASH_INTERVAL */
    "timeout_enable":integer,     /* MIB_WEB_TIMEOUT_ENABLE */
    "timeout_interval":integer,   /* MIB_WEB_TIMEOUT_SECONDS */
    "rotate_7seg":integer,        /* MIB_PDU_7SEG_ROTATION */
  },
  "date_time":{
    "time_zone":integer,          /* MIB_SYSTEM_AGENT_TIME_ZONE, 0~76 */
    "date":"string",             /* MIB_SYSTEM_AGENT_DATE */
    "time":"string",             /* MIB_SYSTEM_AGENT_TIME */
    "date_format":integer,       /* MIB_SYSTEM_AGENT_DATE_FORMAT, 0-dd/mm/yyyy, 1-mm/dd/yyyy, 2-yyyy/mm/dd */
    "time_format":integer,       /* MIB_SYSTEM_AGENT_TIME_FORMAT, integer: 0-24H, 1-12H */
    "sync_mode":integer,         /* MIB_SYSTEM_AGENT_TIME_SELECT, 0:with computer, 1:with NTP server, 2:set manually */
    "ntp_server1":"string",      /* MIB_SYSTEM_AGENT_NTP_IP */
    "ntp_sync_interval":integer, /* MIB_SYSTEM_AGENT_NTP_RUN_PERIOD */
    "ntp_interval_mode":integer, /* MIB_SYSTEM_AGENT_NTP_PERIOD_MODE */
    "daylight_saving":integer,   /* MIB_SYSTEM_AGENT_DST_ENABLED, 0:disabled, 1:auto */
  }
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
```

```
"error":0 /* 0:success, 1:error */
```

```
}
```

- GET

- Resource URL:

https://<spdu_ip>/api/setting/gen_setting

- Request:

GET <spdu_ip>/api/setting/gen_setting HTTP 1.1

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
/* refer POST content */
```

4.2. iEView Management

Configure all parameters for iEView management.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/iecv_mgmt

- Request:

POST <spdu_ip>/api/setting/iecv_mgmt HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;nonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
```

```
  "iecv_enable":integer, /* MIB_CLOUD_VIEW_SERVER_ENABLE_DISABLE, integer: 0 – disabled, 1 – enabled */
```

```
  "iecv_ipaddr":"string", /* MIB_CLOUD_VIEW_SERVER_IP */
```

```
  "iecv_guid":"string", /* MIB_CLOUD_VIEW_SERVER_GUID */
```

```
  "iecv_port":integer, /* MIB_CLOUD_VIEW_SERVER_PORT */
```

```
  "iecv_password":"string" /* MIB_CLOUD_VIEW_SERVER_PASSWORD, string = base64(evpc-aes-256-cbc) */
```

```
}
```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json
Content-type: application/json

```
{  
    "error":0 /* 0:success, 1:error */  
}
```

- GET

- Resource URL:

https://<spdu_ip>/api/setting/iecv_mgmt

- Request:

GET <spdu_ip>/api/setting/iecv_mgmt HTTP 1.1

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4.3. TCP/IP

Configure all parameters for TCP/IP.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/tcpip

- Request:

POST <spdu_ip>/api/setting/tcpip HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{  
    "ipv4":{  
        "ip_address":"string", /* MIB_SYSTEM_AGENT_IP */  
        "gateway_address":"string", /* MIB_SYSTEM_AGENT_GW */  
        "subnet_mask":"string", /* MIB_SYSTEM_AGENT_SUBNET */  
        "bootp_dhcp":integer, /* MIB_SYSTEM_AGENT_BOOTP, integer: 0 - disabled, 1 - enabled */  
    }  
}
```

```

        "dns_address":["string", "string"]          /* MIB_SYSTEM_AGENT_DNS */
    },
    "ipv6":{
        "enable_ipv6":integer,                      /* MIB_SYSTEM_AGENT_IPV6_ENABLE, integer: 0 – disabled, 1 – enabled */
        "configuration":integer, /*MIB_SYSTEM_AGENT_IPV6_DHCPV6_CONFIG, integer: 0 - auto, 1 - dhcpv6, 2 - manual */
        "prefix":integer,                          /* MIB_SYSTEM_AGENT_IPV6_PREFIX */
        "local_address":"string",                  /* MIB_SYSTEM_AGENT_IPV6_LOCAL */
        "router_address":"string",                /* MIB_SYSTEM_AGENT_IPV6_GLOBAL */
        "dns_address":["string", "string"] /* MIB_SYSTEM_AGENT_IPV6_DNS */
    }
}

```

■ Response:

HTTP/1.1 200 OK

Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{ "error":0 } /* 0:success, 1:error */
```

● GET

■ Resource URL:

https://<spdu_ip>/api/setting/tcpip

■ Request:

GET <spdu_ip>/api/setting/tcpip HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4.4. Accessible IP Setting

Configure all parameters for accessible IP setting.

● POST

■ Resource URL:

https://<spdu_ip>/api/setting/ip_filter

■ Request:

POST <spdu_ip>/api/setting/ip_filter HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "ip_filter_enable":integer,           /* MIB_NET_FIREWALL_ENABLED, integer: 0 – disable, 1 – enable */
  "ip_address":["string", .....],     /* MIB_NET_FIREWALL_IP_ADDRESS, array size is 8 */
  "prefix_len":[integer, .....],     /* MIB_NET_FIREWALL_PREFIX_LENGTH */
  "action":[integer, .....]          /* MIB_NET_FIREWALL_ADDRESS_D_OR_A, 0:accept, 1:reject */
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{"error":0}                          /* 0:success, 1:error */
```

● GET

■ Resource URL:

https://<spdu_ip>/api/setting/ip_filter

■ Request:

GET <spdu_ip>/api/setting/ip_filter HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4.5. Security

4.5.1. Network Access Protection

Configure all parameters for network security.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/security/protection

- Request:

POST <spdu_ip>/api/setting/security/protection HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;nonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "protect_enable":integer,          /* MIB_NETWORK_PROTECTION_ENABLED, integer: 0 – disable, 1 – enable */
  "ssh_enable":integer,             /* MIB_NETWORK_SSH_PROTECTION_ENABLED, integer: 0 – disable, 1 – enable */
  "snmp_enable":integer,           /* MIB_NETWORK_SNMP_PROTECTION_ENABLED, integer: 0 – disable, 1 – enable */
  "http_enable":integer,           /* MIB_NETWORK_HTTP_PROTECTION_ENABLED, integer: 0 – disable, 1 – enable */
  "retry_count":[integer,...],     /* MIB_NETWORK_PROTECTION_RETRYINTERVAL, array size is 3 */
  "duration":[integer,...],        /* MIB_NETWORK_PROTECTION_RETRYTIMES */
  "block_time":[integer,...]       /* MIB_NETWORK_PROTECTION_BLOCKTIME */
}
```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{"error":0} /* 0:success, 1:error */
```

- GET

- Resource URL:

https://<spdu_ip>/api/setting/security/protection

- Request:

GET <spdu_ip>/api/setting/security/protection HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4.5.2. Upload CA

● POST

● Resource URL:

https://<spdu_ip>/api/setting/security/ca_upload

● Request:

POST <spdu_ip>/api/setting/security/ca_upload HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Content-Type: multipart/form-data; boundary=-----xxxxxx...

/* file content */

● Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

{ "error":0 }

4.5.3. Download Root CA

● GET

● Resource URL:

https://<spdu_ip>/api/setting/security/ca_download

● Request:

GET <spdu_ip>/api/setting/security/ca_download HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Content-type: application/x-x509-ca-cert

Content-Length: 1395

Content-Disposition: attachment; filename=ca_file.crt

/ file content */*

4.6. Network Service

Configure all parameters for network service.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/net_service

- Request:

POST <spdu_ip>/api/setting/net_service HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "ssh_enable":integer,           /* MIB_NETWORK_SSH_ENABLED, integer: 0 – disabled, 1 – enabled */
  "ssh_port":integer,            /* MIB_NETWORK_SSH_PORT */
  "ssl_enable":integer,          /* MIB_NETWORK_HTTP_CONTROL, integer: 0 – disabled, 1 – enabled */
  "ssl_port":integer,            /* MIB_NETWORK_HTTPS_PORT */
  "ssl_only":integer,            /* MIB_NETWORK_HTTP_ENABLED, integer: 0 – disabled, 1 – enabled */
  "ping_enable":integer,         /* MIB_NETWORK_ICMP_ENABLED, integer: 0 – disabled, 1 – enabled */
  "modbus_tcp_enable":integer,    /* MIB_MODBUS_TCP_CONFIG, integer: 0 – disabled, 1 – enabled */
  "modbus_tcp_port":integer,      /* MIB_MODBUS_TCP_PORT */
  "radius_enable":integer,        /* MIB_NETWORK_RADIUS_ENABLED, integer: 0 – disabled, 1 – enabled */
  "radius_ipaddr":"string",      /* MIB_NETWORK_RADIUS_SERVERS */
  "radius_port":integer,          /* MIB_NETWORK_RADIUS_PORT */
  "radius_key":"string",         /* MIB_NETWORK_RADIUS_SECRETS, base64(evpaes-256-cbc) */
  "radius_timeout":integer,       /* MIB_NETWORK_RADIUS_TIMEOUT */
}
```



```

"radius_retry":integer          /* MIB_NETWORK_RADIUS_RETRY */
"ldap_enable":integer          /* MIB_NETWORK_LDAP_CONFIG */
"ldap_port":integer            /* MIB_NETWORK_LDAP_PORT */
"ldap_servers":integer         /* MIB_NETWORK_LDAP_SERVERS */
"ldap_tls_enable":integer      /* MIB_NETWORK_LDAP_TLS_CONFIG */
"ldap_base_dn":integer         /* MIB_NETWORK_LDAP_BASEDN */
"tac_enable":integer           /* MIB_NETWORK_TACACS_CONFIG */
"tac_servers":integer          /* MIB_NETWORK_TACACS_SERVERS */
"tac_port":integer             /* MIB_NETWORK_TACACS_PORT */
"tac_secret_key":integer       /* MIB_NETWORK_TACACS_SECRET_KEY */
"tac_timeout":integer          /* MIB_NETWORK_TACACS_TIMEOUT */
"tac_retry_cnt":integer        /* MIB_NETWORK_TACACS_RETRY */
"tac_auth_mode":integer        /* MIB_NETWORK_TACACS_AUTH_MODE*/

```

```
}

```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{"error":0} /* 0:success, 1:error */
```

- GET

- Resource URL:

https://<spdu_ip>/api/setting/net_service

- Request:

GET <spdu_ip>/api/setting/net_service HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;nonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
/* refer POST content */
```

4.7. SNMP Setting

Configure all parameters for SNMP.

● POST

■ Resource URL:

https://<spdu_ip>/api/setting/snmp_setting

■ Request:

POST <spdu_ip>/api/setting/snmp_setting HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "enable_snmp":integer,                /* MIB_NETWORK_SNMP_ENABLED */
  "snmp_port":integer,                 /* MIB_NETWORK_SNMP_PORT */
  "v1v2c_setting":{
    "community_read":"string",        /* MIB_NETWORK_SNMP_READ_COMMUNITY , base64(esp-aes-256-cbc) */
    "community_write":"string"        /* MIB_NETWORK_SNMP_WRITE_COMMUNITY , base64(esp-aes-256-cbc) */
  },
  "v3_setting":{
    "user_name":"string",              /* MIB_SNMPv3_USM_USERNAME */
    "auth_mode":integer,               /* MIB_SNMPv3_USM_AUTH_PROTOCOL_1, 0:MD5, 1:SHA */
    "auth_password":"string",          /* MIB_SNMPv3_USM_PASSWORD_1, base64(esp-aes-256-cbc) */
    "privacy_mode":integer,            /* MIB_SNMPv3_USM_AUTH_PROTOCOL_2, 0:DES, 1:AES */
    "privacy_password":"string",       /* MIB_SNMPv3_USM_PASSWORD_2, base64(esp-aes-256-cbc) */
    "security_level":integer           /* MIB_SNMPv3_USM_SECURITY_LEVEL, 0:noAuthNoPriv, 1:authNoPriv, 2:authPriv */
  },
  "trap_setting":{
    "nms_ip":["string", .....],       /* MIB_AGENT_MANAGER_ADDRESS, array size is 8 */
    "community_string":["string", .....], /* MIB_AGENT_MANAGER_COMMUNITY, base64(esp-aes-256-cbc) */
    "trap_type":[integer, .....],      /* MIB_AGENT_MANAGER_TYPE, 0:None, 1:Private Trap */
    "trap_version":[integer, .....],   /* MIB_AGENT_MANAGER_TRAP_VERSION, 0:v1, 1:v2c, 2:v3 */
    "by_level":[integer, .....], /* MIB_AGENT_MANAGER_SEVERITY_LEVEL, 0:information, 1:warning, 2:critical, 3:by event */
    "by_event":["string(192)", .....], /* 192 bytes string (index = 0), refer Event Bitmap */
    "description":["string", .....],   /* MIB_AGENT_MANAGER_DESCR */
    "trap_test":integer                 /* MIB_AGENT_MANAGER_TRAP_TEST, 0:undo test, 1:do test */
  }
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json
Content-type: application/json

```
{"error":0} /* 0:success, 1:error */
```

- GET

- Resource URL:

https://<spdu_ip>/api/setting/snmp_setting

- Request:

GET <spdu_ip>/api/setting/snmp_setting HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

4.8. Email Setting

Configure all parameters for Email Setting.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/email_setting

- Request:

POST <spdu_ip>/api/setting/email_setting HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "server_setting":{
    "mail_server":"string",          /* MIB_UPS_SMTP_SERVER */
    "smtp_port":integer,            /* MIB_NETWORK_SMTP_PORT */
    "sender_address":"string",      /* MIB_UPS_SMTP_SENDER_ADDRESS */
    "mail_subject":"string",        /* MIB_UPS_SMTP_SUBJECT_PREFIX */
```

```

    "support_tls":integer                /* MIB_NETWORK_SMTP_TLS_ENABLED, 0:disabled, 1:enabled */
    "user_account":"string",            /* MIB_UPS_SMTP_ACCOUNT */
    "user_password":"string",          /* MIB_UPS_SMTP_PASSWORD, base64(esp-aes-256-cbc) */
    "dns_address":"string",
    "daily_status_report":"string",    /* hh:mm */
  },
  "receiver_table":{
    "mail_account":["string", .....], /* MIB_UPS_SMTP_RECEIVER_NAME, array size is 8 */
    "description":["string", .....], /* MIB_UPS_SMTP_RECEIVER_DESC */
    "mail_type":[integer, .....],    /* MIB_UPS_SMTP_RECEIVER_TYPE, 0:None,1:Events,2:Daily Status,2:Events/Status */
    "by_level":[integer, .....],     /* MIB_UPS_SMTP_RECEIVER_LEVEL, 0:information, 1 warning, 2:critical, 3:by event */
    "by_event":["string(192)", .....] /* 192 bytes string */
  },
  "email_test":{
    "mail_account":"string",          /* MIB_SMTP_TEST_ADDR */
    "description":"string",          /* MIB_SMTP_TEST_DESC */
    "mail_type":integer,              /* MIB_SMTP_TEST_TYPE */
    "by_level":integer,               /* MIB_SMTP_TEST_LEVEL */
    "email_test":integer,             /* MIB_NETWORK_SMTP_SEND_TEST, 0:undo test, 1:do test */
  }
}

```

- Response:
 - HTTP/1.1 200 OK
 - Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json
 - Content-type: application/json

```

{ "error":0 } /* 0:success, 1:error */

```

- GET
 - Resource URL:
 - https://<spdu_ip>/api/setting/email_setting
 - Request:
 - GET <spdu_ip>/api/setting/email_setting HTTP 1.1
 - Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
 - HTTP/1.1 200 OK
 - Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json

Content-type: application/json

/* refer POST content */

4.9. User Setting

Configure all parameters for user setting.

- POST

- Resource URL:

https://<spdu_ip>/api/setting/user_setting

- Request:

POST <spdu_ip>/api/setting/user_setting HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "local_user":{
    "user_name":["string", .....],           /* MIB_SYSTEM_AGENT_USERNAME, array size is 8 */
    "user_password":["string", .....],       /* MIB_SYSTEM_AGENT_PASSWORD, base64(esp-aes-256-cbc) */
    "user_privilege":[integer, .....]        /* MIB_SYSTEM_AGENT_USERLEVEL, 0:disabled, 1:read only, 2:read+write */
  },
  "radius_user":{
    "user_name":["string", .....],           /* MIB_RADIUS_USERNAME, array size is 8 */
    "user_privilege":[integer, .....]        /* MIB_RADIUS_USERLEVEL, 0:disabled, 1:read only, 2:read+write */
  },
  "admin_user":{
    "admin_name":"string",                   /* MIB_SUPER_USER_USERNAME */
    "admin_password":"string"               /* MIB_SUPER_USER_PASSWORD, base64(esp-aes-256-cbc) */
  },
  "ldap_user":{
    "user_name":["string", .....],           /* MIB_NETWORK_LDAP_USERNAME, array size is 8 */
    "user_privilege":["string", .....],      /* MIB_NETWORK_LDAP_USERLEVEL, base64(esp-aes-256-cbc) */
  },
  "tacacs_user":{
    "user_name":["string", .....],           /* MIB_NETWORK_TACACS_USERNAME, array size is 8 */
    "user_privilege":["string", .....],      /* MIB_NETWORK_TACACS_USERLEVEL, base64(esp-aes-256-cbc) */
  }
}
```

- Response:
 - HTTP/1.1 200 OK
 - Set-Cookie:
 - trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json
 - Content-type: application/json

{ "error":0 }

/* 0:success, 1:error */

- GET

- Resource URL:
 - https://<spdu_ip>/api/setting/user_setting
- Request:
 - GET <spdu_ip>/api/setting/user_setting HTTP 1.1
 - Cookie:
 - trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
 - HTTP/1.1 200 OK
 - Set-Cookie:
 - trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json
 - Content-type: application/json

/* refer POST content */

5. Log

5.1. System Log

Get system event log.

- GET
 - Resource URL:
 - https://<spdu_ip>/api/log/sys_log
 - Request:
 - GET
 - <spdu_ip>/api/log/sys_log?startIdx=integer&displayNum=integer&eventLevel=integer&lang=en_US&time1=dd/mm/yyyy&time2=dd/mm/yyyy HTTP 1.1
 - Host: localhost
 - Cookie:
 - trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69

153d25a8a7a0ae

| Name | Description |
|------------|--|
| startIdx | the offset of log from specific datetime |
| displayNum | log count, which will be displayed on the web page |
| eventLevel | 0:Information(include Warning and Critical), 1:Warning(include Critical), 2:Critical |
| lang | en_US, zh_TW, zh_CN, user_1, user_2 |
| time1 | start date (if there is no time1, read from the last log) |
| time2 | end date (time1 and time2 must be paired, otherwise an error will be returned) |

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "total_count":integer,
  "return_count":integer,
  "log_data":[
    {
      "date":"string",           /* data is returned from startIdx */
      "time":"string",
      "log_level":integer,      /* refer eventLevel */
      "description":"string"
    },
    .....
  ]
}
```

5.2. Event Log

Get event log.

- Resource URL:

https://<spdu_ip>/api/log/event_log

- Request:

GET

<spdu_ip>/api/log/event_log?startIdx=integer&displayNum=integer&eventLevel=integer&lang=en_US
&time1=dd/mm/yyyy&time2=dd/mm/yyyy HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

| Name | Description |
|------------|--|
| startIdx | the offset of log from specific datetime |
| displayNum | log count, which will be displayed on the web page |
| eventLevel | 0:Information(include Warning and Critical), 1:Warning(include Critical), 2:Critical |
| lang | en_US, zh_TW, zh_CN, user_1, user_2 |
| time1 | start date (if there is no time1, read from the last log) |
| time2 | end date (time1 and time2 must be paired, otherwise an error will be returned) |

- Response:

HTTP/1.1 200 OK

Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "total_count":integer,
  "return_count":integer,
  "log_data":[
    {
      "date":"string",           /* data is returned from startIdx */
      "time":"string",
      "log_level":integer,      /* refer eventLevel */
      "description":"string"
    },
    .....
  ]
}
```

5.3. Inlet History Log

Get inlet history log.

- Resource URL:

https://<spdu_ip>/api/log/inlet_log

- Request:

GET

<spdu_ip>/api/log/inlet_log?startIdx=integer&displayNum=integer&lang=en_US&time1=dd/mm/yyyy&time2=dd/mm/yyyy&timeBase=integer HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

| Name | Description |
|------------|--|
| startIdx | offset of log from the last log |
| displayNum | log count, which will be displayed on the web page |
| time1 | start date (if there is no time1, read from the last log) |
| time2 | end date (time1 and time2 must be paired, otherwise an error will be returned) |
| timeBase | time from the last log, ex: 30 minutes, timeBase equal to 1800 (seconds) |
| lang | en_US, zh_TW, zh_CN, usr_1, user_2 |

- Response:

HTTP/1.1 200 OK

Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "total_count":integer,
  "return_count":integer,
  "log_data":[
    {
      "date":"string",
      "time":"string",
      "energy":integer,
      "voltage":[integer,integer,integer],
      "pf":[integer,integer,integer], /* power factor */
      "freq":[integer,integer,integer], /* frequency */
      "current_b1":[integer,integer,integer], /* circuit breaker 1 current */
      "current_b2":[integer,integer,integer] /* circuit breaker 2 current */
      "power":integer,
      "max_power":integer,
      "current":[integer,integer,integer],
      "max_current":[integer,integer,integer],
    },
    .....
  ]
}
```

5.4. Environment Log

Get environment history log.

- Resource URL:
https://<spdu_ip>/api/log/emd_log
- Request:
GET
<spdu_ip>/api/log/emd_log?startIdx=integer&displayNum=integer&lang=en_US&time1=dd/mm/yyyy
&time2=dd/mm/yyyy&timeBase=integer HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d
25a8a7a0ae

| Name | Description |
|------------|--|
| startIdx | offset of log from the last log |
| displayNum | log count, which will be displayed on the web page |
| time1 | start date (if there is no time1, read from the last log) |
| time2 | end date (time1 and time2 must be paired, otherwise an error will be returned) |
| timeBase | time from the last log, ex: 30 minutes, timeBase equal to 1800 (seconds) |
| lang | en_US, zh_TW, zh_CN, usr_1, user_2 |

- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{
  "total_count":integer,
  "return_count":integer,
  "temp_unit":integer,           /* MIB_EMD_HTTP_TEMPERATURE_UNIT, 0:Centigrade; 1:Fahrenheit */
  "log_data":[                  /* array size is return_count */
    {
      "date":"string",
      "time":"string",
      "temperature":[integer,...], /* temperature, array size is 8 */
      "humidity":[integer,...]    /* humidity, array size is 8 */
    },
    .....
  ]
}
```

5.5. Clear Log

Clear system/event log, inlet history log and emd history log.

- Resource URL:
https://<spdu_ip>/api/log/delete_log
- Request:
DELETE
<spdu_ip>/api/log/delete_log?sys_log=integer&event_log=integer&inlet_log=integer&emd_log=integer HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

| Name | Description |
|---------|----------------------------|
| integer | 0:doesn't delete, 1:delete |

- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Content-type: application/json
Accept: application/json
Content-type: application/json

{"error":0} /* 0:success, 1:error */

5.6. Save Log

Save system/event log, inlet history log and emd history log.

- Save system log.
 - Resource URL:
https://<spdu_ip>/api/log/save_log/sys_log
 - Request:
GET <spdu_ip>/api/log/save_log/sys_log?lang=en_US HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

| Name | Description |
|------|-------------------------------------|
| lang | en_US, zh_TW, zh_CN, user_1, user_2 |

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Content-type: text/csv

Content-Disposition: attachment; filename=sys_log.csv

/* file content */

● Save sensor event log

■ Resource URL:

https://<spdu_ip>/api/log/save_log/event_log

■ Request:

GET <spdu_ip>/api/log/save_log/event_log?lang=en_US HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

| Name | Description |
|------|-------------------------------------|
| lang | en_US, zh_TW, zh_CN, user_1, user_2 |

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Content-type: text/csv

Content-Disposition: attachment; filename=event_log.csv

/* file content */

● Save inlet history log.

● Resource URL:

https://<spdu_ip>/api/log/save_log/inlet_log

● Request:

GET <spdu_ip>/api/log/save_log/inlet_log?lang=en_US HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

● Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Content-type: text/csv

Content-Disposition: attachment; filename=inlet_log.csv

/* file content */

- Save emd history log.
 - Resource URL:
https://<spdu_ip>/api/log/save_log/emd_log
 - Request:
GET <spdu_ip>/api/log/save_log/emd_log?lang=en_US HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Content-type: text/csv
Content-Disposition: attachment; filename=emd_log.csv

/* file content */

6. Advance

6.1. Syslog Setting

Configure all parameters for syslog setting.

- POST
 - Resource URL:
https://<spdu_ip>/api/advance/syslog_setting
 - Request:
POST <spdu_ip>/api/advance/syslog_setting HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Accept: application/json
Content-type: application/json

```
{
  "syslog_enable":[integer,integer], /* MIB_SYSLOG_CONTROL, integer: 0 – disabled, 1 – enabled, index: 0 – system/event
log, 1 – history log */
  "syslog_ipaddr":["string","string"], /* MIB_SYSLOG_SERVER_IP */
```

```
        "syslog_port":[integer,integer]          /* MIB_SYSLOG_SERVER_PORT */
    }
```

- Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{ "error":0 }          /* 0:success, 1:error */
```

- GET

- Resource URL:
https://<spdu_ip>/api/advance/syslog_setting
- Request:
GET <spdu_ip>/api/advance/syslog_setting HTTP 1.1
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
/* refer POST content */
```

6.2. Maintenance

6.2.1. Reset to Default

Reset parameters to default.

- POST

- Resource URL:
https://<spdu_ip>/api/advance/maintenance/reset
- Request:
POST <spdu_ip>/api/advance/maintenance/reset HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json
Content-type: application/json

```
{  
  "reset":integer,          /* MIB_UPS_SYSTEM_RESTART_DEFAULT, 0: do nothing, 1:parameter reset */  
}
```

- Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{  
  "error":0                /* 0:success, 1:error */  
}
```

6.2.2. SNMP Card Firmware Upgrade

- POST
 - Resource URL:
https://<spdu_ip>/api/advance/maintenance/fw_upgrade
 - Request:
POST <spdu_ip>/api/advance/maintenance/fw_upgrade HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Content-Type: multipart/form-data; boundary=-----xxxxxx...

/* file content */

- Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Content-type: application/json

```
{  
  "error":0  
}
```

| | |
|-------|---|
| error | -1: already in the upgrade process 0: start to upgrade firmware 1: upgrade function be disabled 2: upgrade process error |
|-------|---|

- GET

- Resource URL:

https://<spdu_ip>/api/advance/maintenance/fw_upgrade

- Request:

GET <spdu_ip>/api/advance/maintenance/fw_upgrade HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "progress":integer /* the upgrading % */
}
```

6.2.3. Reboot

Restart snmp card.

- POST

- Resource URL:

https://<spdu_ip>/api/advance/maintenance/reboot

- Request:

POST <spdu_ip>/api/advance/maintenance/reboot HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "reboot":integer, /* MIB_UPS_SYSTEM_RESTART_DEFAULT, 0: do nothing, 2:card reboot */
}
```


- Response:
 - HTTP/1.1 200 OK
 - Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json
 - Content-type: application/json

```
{
  "error":0
}
```

/* 0:success, 1:error */

6.2.4. EMD Firmware Upgrade

- POST
 - Resource URL:
 - https://<spdu_ip>/api/advance/maintenance/emd_fwupg
 - Request:
 - POST <spdu_ip>/api/advance/maintenance/emd_fwupg HTTP 1.1
 - Host: localhost
 - Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Content-Type: multipart/form-data; boundary=-----xxxxxx...

/* file content */

- Response:
 - HTTP/1.1 200 OK
 - Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
 - Accept: application/json
 - Content-type: application/json

```
{
  "error":0
}
```

| | |
|-------|---|
| error | -1: already in the upgrade process 0: start to upgrade firmware 1: upgrade function be disabled 2: upgrade process error |
|-------|---|

- GET upgrade status.
 - Resource URL:

https://<spdu_ip>/api/advance/maintenance/emd_fwupg

■ Request:

GET <spdu_ip>/api/advance/maintenance/emd_fwupg HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "upload_progress":integer,           /*MIB_SENSOR_FW_UPLOAD_PROGRESS, the uploading % */
  "current_version":"string",         /* MIB_SENSOR_EMD_FW_VERSION */
  "upload_version":"string",         /* reserved */
  "update_progress":integer,         /* MIB_SENSOR_FW_UPDATE_PROGRESS, the upgrading % */
  "update_dev":integer,              /* MIB_SENSOR_FW_UPDATE_DEV */
  "update_state":integer             /* reserved */
}
```

| | |
|-----------------|---|
| upload_progress | no error: 0 ~ 100 |
| update_progress | no error: 0 ~ 100 |
| update_state | |
| update_dev | which device is upgrading 1 – EMD-1 2 – EMD-2 : 8 – EMD-8 |

6.2.5. Inlet Firmware Upgrade

● POST

■ Resource URL:

https://<spdu_ip>/api/advance/maintenance/inlet_fwupg

■ Request:

POST <spdu_ip>/api/advance/maintenance/inlet_fwupg HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69

153d25a8a7a0ae

Content-Type: multipart/form-data; boundary=-----xxxxxx...

/* file content */

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "error":0
}
```

| | |
|-------|---|
| error | -1: already in the upgrade process 0: start to upgrade firmware 1: upgrade function be disabled 2: upgrade process error |
|-------|---|

● GET upgrade status.

■ Resource URL:

https://<spdu_ip>/api/advance/maintenance/inlet_fwupg

■ Request:

GET <spdu_ip>/api/advance/maintenance/inlet_fwupg HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69
153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "current_version":integer,           /* MIB_PDU_INLET_FW_VER_AC1 */
  "inlet_type":integer,               /* MIB_PDU_INLET_TYPE_AC1, bit0=0(CT x 1); bit0=1(CT x 2)
                                       bit1=0(1 Phase); bit1=1(3 Phase)
                                       bit2=0(16A); bit2=1(32A) */
  "update_version":integer,          /* MIB_PDU_INLET_UPGRADE_IMAGE_VERSION */
  "upgrade_progress":integer         /* MIB_PDU_INLET_UPGRADE_PROGRESS */
}
```

6.3. Import / Export

6.3.1. Import Configuration File

Upload configuration file.

- POST
 - Resource URL:
https://<spdu_ip>/api/advance/import/conf_file
 - Request:
POST <spdu_ip>/api/advance/import/conf_file HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Content-Type: multipart/form-data; boundary=-----xxxxxx...
Content-Disposition: form-data; filename=conf_file.json

/* file content */
 - Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

{ "error":0 }
- GET
 - Resource URL:
https://<spdu_ip>/api/advance/import/conf_file
 - Request:
GET <spdu_ip>/api/advance/import/conf_file HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json

Content-type: application/json

```
{  
    "progress":integer                /* the uploading % */  
}
```

6.3.2. Export Configuration File

Download configuration file.

- GET
 - Resource URL:
https://<spdu_ip>/api/advance/export/conf_file
 - Request:
GET <spdu_ip>/api/advance/export/conf_file HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Content-type: text/json
Content-Disposition: attachment; filename=conf_file.json

/* file content */

6.4. String Setting

Configure web strings.

- POST language #1
 - Resource URL:
https://<spdu_ip>/api/advance/string_setting?lang=1
 - Request:
POST <spdu_ip>/api/advance/string_setting?lang=1 HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Accept: application/json
Content-type: application/json

```

{
  ".lang_config":{
    "usr_1_name":"string",
    "usr_1_enable":integer,          /* 0:disabled, 1:enabled */
    "serial":integer,
    "timestamp":"string"           /* 2020-02-06T03:32:34.519Z */
  },
  "web":{
    "key1":"string",
    "key2":"string",
    .....
  }
}

```

key1 to keyn in web object will be replaced by Appendix 2. Page String List.

key1 to keyn in event object will be replaced by id field of langEventList in Appendix 3.

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

{"error":0}                               /* 0:success, 1:error */

```

● POST language #2

■ Resource URL:

https://<spdu_ip>/api/advance/string_setting?lang=2

■ Request:

POST <spdu_ip>/api/advance/string_setting?lang=2 HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```

{
  ".lang_config":{
    "usr2_name":"string",
    "usr2_enable":integer,          /* 0:disabled, 1:enabled */
    "serial":integer,
    "timestamp":"string"           /* 2020-02-06T03:32:34.519Z */
  }
}

```

```

    },
    "web":{
        "key1":"string",
        "key2":"string",
        .....
    }
}

```

key1 to keyn in web object will be replaced by Appendix 2. Page String List.

key1 to keyn in event object will be replaced by id field of langEventList in Appendix 3.

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

{"error":0} /* 0:success, 1:error */

```

- GET language #1 or language #2.

- Resource URL:

https://<spdu_ip>/api/advance/string_setting?lang=n /* n is 1 or 2 */

- Request:

GET <spdu_ip>/api/advance/string_setting?lang=n HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

/* refer POST content */

```

6.5. Event String Setting

Configure event strings.

- POST language #1

- Resource URL:

https://<spdu_ip>/api/advance/event_setting?lang=1

- Request:

POST <spdu_ip>/api/advance/event_setting?lang=1 HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  ".lang_config":{
    "usr_1_name":"string",
    "usr_1_enable":integer,          /* 0:disabled, 1:enabled */
    "serial":integer,
    "timestamp":"string"          /* 2020-02-06T03:32:34.519Z */
  },
  "event":{
    "key1":{"usr_1":"string", "index":integer},
    "key2":{"usr_1":"string", "index":integer},
    .....
  }
}
```

key1 to keyn in web object will be replaced by Appendix 2. Page String List.

key1 to keyn in event object will be replaced by id field of langEventList in Appendix 3.

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{"error":0}          /* 0:success, 1:error */
```

● POST language #2

■ Resource URL:

https://<spdu_ip>/api/advance/event_setting?lang=2

■ Request:

POST <spdu_ip>/api/advance/event_setting?lang=2 HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json


```

{
  ".lang_config":{
    "usr2_name":"string",
    "usr2_enable":integer,          /* 0:disabled, 1:enabled */
    "serial":integer,
    "timestamp":"string"          /* 2020-02-06T03:32:34.519Z */
  },
  "event":{
    "key1":{"usr_2":"string", "index":integer},
    "key2":{"usr_2":"string", "index":integer},
    .....
  }
}

```

key1 to keyn in web object will be replaced by Appendix 2. Page String List.

key1 to keyn in event object will be replaced by id field of langEventList in Appendix 3.

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```

{"error":0}          /* 0:success, 1:error */

```

● GET language #1 or language #2.

■ Resource URL:

https://<spdu_ip>/api/advance/event_setting?lang=n /* n is 1 or 2 */

■ Request:

GET <spdu_ip>/api/advance/event_setting?lang=n HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

6.6. Upload / Download

6.6.1. Upload Language File

- Upload language file.
 - Resource URL:
https://<spdu_ip>/api/advance/lang_upload
 - Request:
POST <spdu_ip>/api/advance/lang_upload HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Content-Type: multipart/form-data; boundary=-----xxxxxx...
Content-Disposition: form-data; filename=spdu_lang

/* file content */
 - Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;
Max-Age=1800
Accept: application/json
Content-type: application/json

{"error":0} /* 0:success, 1:error */
- Get upload language status.
 - Resource URL:
https://<spdu_ip>/api/advance/lang_upload
 - Request:
GET <spdu_ip>/api/advance/lang_upload HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;
Max-Age=1800
Accept: application/json
Content-type: application/json

```
{
    "progress":integer                /* the uploading % */
}
```

6.6.2. Download Language File

- Download language #1
 - Resource URL:
`https://<spdu_ip>/api/advance/lang_download?lang=1`
 - Request:
GET <spdu_ip>/api/advance/lang_download?lang=1 HTTP 1.1
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;
Max-Age=1800
Content-Type: application/octet-stream
Content-Disposition: attachment; filename=spdu_lang1

/* file content */
- Download language #2
 - Resource URL:
`https://<spdu_ip>/api/advance/lang_download?lang=2`
 - Request:
GET <spdu_ip>/api/advance/lang_download?lang=2 HTTP 1.1
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
 - Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;
Max-Age=1800
Content-Type: application/octet-stream
Content-Disposition: attachment; filename=spdu_lang2

/* file content */

6.7. Links Setting

Configure all parameters for Links Setting.

- POST

- Resource URL:

https://<spdu_ip>/api/advance/links_setting

- Request:

POST <spdu_ip>/api/advance/links_setting HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "screen_text":["string",.....],           /* MIB_AGENT_ELINK_NAME, array size is 4 */
  "link_addr":["string", .....],          /* MIB_AGENT_ELINK_ADDRESS */
  "status":[integer, .....]              /* MIB_AGENT_ELINK_STATUS, 0:hide, 1:show */
}
```

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{ "error":0 }
```

- GET

- Resource URL:

https://<spdu_ip>/api/advance/links_setting

- Request:

GET <spdu_ip>/api/advance/links_setting HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

7. External Links

Get external link.

- Resource URL:
https://<spdu_ip>/api/external_link
- Request:
GET <spdu_ip>/api/external_link HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
- Response:
HTTP/1.1 200 OK
Set-Cookie: trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{  
  "web_link": "string", /* MIB_PDU_WEB_LINK */  
  "screen_text": ["string", .....], /* MIB_AGENT_ELINK_NAME, array size is 4 */  
  "link_addr": ["string", .....], /* MIB_AGENT_ELINK_ADDRESS */  
  "status": [integer, .....] /* MIB_AGENT_ELINK_STATUS, 0:hide, 1:show */  
}
```

8. Manufacture Setting

8.1. Setting

Configure all parameters for Manufacture.

- POST
 - Resource URL:
https://<spdu_ip>/api/manu_setting/setting
 - Request:
POST <spdu_ip>/api/manu_setting/setting HTTP 1.1
Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Accept: application/json

Content-type: application/json

```
{
  "pdu_type":"string",          /* MIB_PDU_MANU_TYPE, string size is 31 bytes */
  "web_link":"string",        /* MIB_PDU_MANU_WEB_LINK, string size is 63 bytes */
  "sys_name":"string",       /* MIB_PDU_MANU_SYSTEM_NAME, string size is 31 bytes */
  "sys_contact":"string",    /* MIB_PDU_MANU_SYSTEM_CONTACT, string size is 31 bytes */
  "lcm_type":integer         /* MIB_PDU_MANU_LCM_TYPE, 0:STN; 1:OLED */
  "rcm_type":integer         /* MIB_PDU_MANU_RCM_TYPE, 0 – TCMB121-1(DC Type),
1 –RCMB121-2(AC Type) */
  "serial_num":integer       /* MIB_SYSTEM_SERIAL_NUMBER, string size is 31 bytes */
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

{ "error":0 }

● GET

■ Resource URL:

https://<spdu_ip>/api/manu_setting/setting

■ Request:

GET <spdu_ip>/api/manu_setting/setting HTTP 1.1

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

/* refer POST content */

8.2. Upload Logo

- POST

- Resource URL:

https://<spdu_ip>/api/manu_setting/upload_logo

- Request:

POST <spdu_ip>/api/manu_setting/upload_logo HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

Content-Type: multipart/form-data; boundary=-----xxxxxx...

/* file content */

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Content-type: application/json

```
{
  "error":0
}
```

- GET

- Resource URL:

https://<spdu_ip>/api/manu_setting/upload_logo

- Request:

GET <spdu_ip>/api/manu_setting/upload_log HTTP 1.1

Host: localhost

Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae

- Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{
  "progress":integer
  /* the upgrading % */
}
```

```
}
```

8.3. Restore Logo

Restore logo to original logo.

- POST
 - Resource URL:
https://<spdu_ip>/api/manu_setting/restore_logo
 - Request:
POST <spdu_ip>/api/manu_setting/restore_logo HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Accept: application/json
Content-type: application/json

```
{  
    "restore_logo":integer                               /* MIB_PDU_MANU_RESTORE_LOGO, 0:undo; 1:restore logo */  
}
```

- Response:
HTTP/1.1 200 OK
Set-Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800
Accept: application/json
Content-type: application/json

```
{"error":0 }
```

8.4. LCM_TEST

Test 7 segment LED and LCM.

- POST
 - Resource URL:
https://<spdu_ip>/api/manu_setting/lcm_test
 - Request:
POST <spdu_ip>/api/manu_setting/lcm_test HTTP 1.1
Host: localhost
Cookie:
trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;nc=00000002;cnonce=69153d25a8a7a0ae
Accept: application/json

Content-type: application/json

```
{  
  "lcm_test":integer /* MIB_PDU_MANU_LCM_TEST, 0:undo; 1:do LCM test */  
}
```

■ Response:

HTTP/1.1 200 OK

Set-Cookie:

trackid=ddc8369e9c91ae4dfba1d51441588a1d;uid=7a0aedfba1d514c9;Max-Age=1800

Accept: application/json

Content-type: application/json

```
{ "error":0 }
```

Appendix 1. Resource Mapping

TBD

Appendix 2. Page String List

TBD

Appendix 3. Event String List

TBD